




**PRODUCT INFORMATION**

**VS America: Bestsellers**





**Illus. 5:** Students differ in height and proportion. Therefore, using correctly sized furniture is important!  
 Seat shell sizes (w, d): XS (12-5/8", 11"); M (14-5/8", 14 1/4"); L (17", 16-1/2"); XL (17 7/8", 17-3/4")

## Active ergonomics define VS America's furniture.

VS America Inc. of Charlotte, North Carolina offers a complete palette of furniture and furnishings for classrooms and administration. One of the world's leading school furniture manufacturers, VS was founded in Germany over a century ago. Since then, it has made significant contributions to the design and development of school furniture. VS products are designed to cater for the students' needs. Its design includes ergonomics, use of high quality and environmentally friendly materials and visual design.

VS focuses on providing ergonomic furniture: chairs, like the PantoSwing and the PantoMove, and tables that are equipped with inclinable work surfaces and height adjustability. At VS, our philosophy is that school furniture should ergonomically support the total learning environment. We design it to accommodate a student's need for flexible movement versus rigid sitting which studies show could hinder learning.

Thanks to its long experience VS comes up with products that stand out on account of their solidity and high resistance to wear, like the LIGNOdur top which is so robust that it is virtually impossible to damage.

Significant criteria in the development of VS furniture are not only the fulfillment of the highest quality and ergonomic requirements but also the consideration of environmental aspects. From the choice of raw-material to the processing technology and right through to the packing and delivery of the furniture, VS always thinks "green". Solar cells placed on top of the roofs of the modern production facilities in Germany as well as a water collecting basin manifest the conscious use of resources.



## PantoSwing-LuPo Forward-flexing cantilever chair.

**Frame** made from bent, powder-coated or chrome-plated round steel tubing. For sizes 4-7 with extra sturdy cross-strut between the skids.

**Frame sizes** as per DIN EN 1729.

**Seat shell** of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole.

**Features and options.** Glides for hard and soft floors or universal glides (2K).

**Please note:** The PantoSwing-LuPo cannot be combined with the Duo-C 2451 school table.

**Following materials are available:** Frame = M1,2,7; Seat/Backrest = C1,2.

		DIN EN	Seat w		
PantoSwing	LuPo	2 = 12 <sup>1</sup> / <sub>4</sub>	12 <sup>5</sup> / <sub>8</sub>		31400
		3 = 13 <sup>3</sup> / <sub>4</sub>	12 <sup>5</sup> / <sub>8</sub>		
		4 = 15	14 <sup>5</sup> / <sub>8</sub>		
		5 = 17	14 <sup>5</sup> / <sub>8</sub>		
		6 = 18 <sup>1</sup> / <sub>8</sub>	17		
		7 = 20 <sup>1</sup> / <sub>8</sub>	17 <sup>7</sup> / <sub>8</sub>		
		DIN EN			

## Compass-LuPo Four-legged chair.

**Frame** of bent and welded, powder-coated or chrome-plated round steel tube.

**Seating sizes** as per DIN ISO 1729.

**Seat shell** made of double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect. With concealed seat fixture and handle hole.

**Equipment and options.** Glide elements for hard and soft floors or 2C universal glide elements.

**Following materials are available:** Frame = M1,2,7; Seat/Backrest = C1,2.

		DIN EN	Seat w		
Compass	LuPo	2 = 12 <sup>1</sup> / <sub>4</sub>	12 <sup>5</sup> / <sub>8</sub>		31300
		3 = 13 <sup>3</sup> / <sub>4</sub>	12 <sup>5</sup> / <sub>8</sub>		
		4 = 15	14 <sup>5</sup> / <sub>8</sub>		
		5 = 17	14 <sup>5</sup> / <sub>8</sub>		
		6 = 18 <sup>1</sup> / <sub>8</sub>	17		
		7 = 20 <sup>1</sup> / <sub>8</sub>	17 <sup>7</sup> / <sub>8</sub>		
		DIN EN			



### PantoMove-LuPo Five-star foot chair.

**Frame** consists of aluminium five-star foot and gas spring with plastic cover. All models are adjustable in height.  
**Frame sizes** as per DIN ISO 5970 and CEN.  
**Seat shell** of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole.  
**Features and options.** Glide elements or castors for hard or soft floors or 2C universal glide elements. Optionally with foot ring or with particularly ergonomic 3D rocker mechanism with soft or damped sideways tilting.  
**Following materials are available:** Frame = M1,2; Seat/Backrest = C1,2.

		When fitted with castors, the height increases by 1/4".			
PantoMove	LuPo / Fix			31505	31506
	LuPo / Lift				
	ISO/CEN				
	h			13 <sup>3</sup> / <sub>8</sub> -16 <sup>3</sup> / <sub>4</sub>	16 <sup>5</sup> / <sub>8</sub> -20 <sup>1</sup> / <sub>2</sub>



### PantoMove-LuPo Plus Five-star foot chair.

**Frame** comprising an aluminium star foot, a plastic-covered gas-filled telescopic strut and an adjustable foot ring with black anti-slip coating. All models with height adjustment and swivel facility.  
**Seating sizes** for raised sitting/stand-at workstations.  
**Seat shell** made of double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect. With concealed seat fixture and handle hole.  
**Equipment and options.** Glide elements, 2C universal glide elements or castors braked under load for hard or soft floors. With foot ring and particularly ergonomic 3D rocking mechanism, i.e. with soft or damped sideways tilting.  
**Following materials are available:** Frame = M1,2; Seat/Backrest = C1,2.

		When fitted with castors, the height increases by 1/4".		
PantoMove	LuPo / Lift		31507	31512
	h		19 <sup>1</sup> / <sub>4</sub> -27 <sup>1</sup> / <sub>8</sub>	
	Seat w		17	17 <sup>7</sup> / <sub>8</sub>



## Hokki Stool.

**Stool** made from sturdy, durable and extremely scratch-resistant polypropylene, fully recyclable. Slight seat recess, filled with soft plastic foam for comfort.

Thermoplastic base padding screwed to the polypropylene body.

**Function:** Facilitates free mobility under controlled conditions thanks to rounded set-down surfaces which stimulate the full apparatus of movement. Easy to carry thanks to ergonomic, wave-shaped seat edge for gripping which also prevents the stool from rolling off. The stool is easy to transport and can be stacked with others to save space.

**The following materials are available to choose from:** Stool = Black Grey, C2.

Hokki	h	Seat w					<b>03825</b>
			12 <sup>1</sup> / <sub>4</sub>	15	18 <sup>1</sup> / <sub>8</sub>	20 <sup>1</sup> / <sub>8</sub>	
			11 <sup>13</sup> / <sub>16</sub>				



## LuPoStool Skid-stool.

**Frame** of welded U-shaped skid and seat support of chrome-plated oval steel tube. Pickapack fitting for storage on table top. Smallest model without, middle and larger models with foot-rest.

**Frame sizes** in 3 fixed heights.

**Seat** of double-walled textured polypropylene for comfortable sitting with air-cushion effect.

**Features and options.** Glides for hard and soft floors or universal glides (2K). For maximum number stackable (ST) see table.

**Accessories.** Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 / 6.

**Following materials are available:** Frame = M1,2,7; Seat/Backrest = C1.

LuPoStool	h	ST	Seat w									
				<b>3428</b>						<b>3429</b>		
				18 <sup>1</sup> / <sub>8</sub>	22	24	18 <sup>1</sup> / <sub>8</sub>	22	24			
				6	3		6	3				
				14 <sup>1</sup> / <sub>2</sub>								





Other models illustrated on this page:  
PantoSwing-Lupo, Compass-LuPo

## Uno-M Skid table.

**Frame** of powder-coated steel tube with middle leg on flat tapering steel skids with plastic kicking protection. All steel tubes in flat oval profile.

**Frame size** as per DIN ISO 5970 and CEN.

**Table top** of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or of extremely wear-resistant LIGNOdur safety top with soft rounded edges.

**Accessories and options.** Glides for hard and soft floors or universal glides (2K) and briefcase (satchel) hooks as well as grid bookshelf or chair suspension for the BasicGlide, LuPoGlide, Panto-Swing (up to size 4) and PantoMove school chairs.

**Important notice.** The table height can vary slightly depending on the type of top and the glides. PU edges are extremely robust, but can show signs of discoloration over time.

**Following materials are available:** Frame = M1,2,7; Top LIGNOdur= L1; Top LIGNOpal-PU = L1.

**Other models illustrated on this page:** Compass-LuPo, PantoSwing-LuPo.

		ISO/CEN			
		2 = 20 1/2	●		
		3 = 22 7/8	●		
		4 = 25 1/4	●		
		5 = 27 5/8	●		
		6 = 30	●		
		7 = 32 1/4	●		
					
Uno-M	LIGNOdur	d = 19 5/8		2408	2405
		d = 25 1/2			2409
	LIGNOpal-PU	d = 25 1/2			2410
		w		27 5/8	29 1/2
		ISO/CEN			2-3-4-5-6-7
					51 1/8
					59



## Uno-M-Step Skid table, adjustable in height.

**Frame** of powder-coated steel tube with middle leg on flat tapering skids with plastic kicking protection. All steel tubes in flat oval profile.

**Frame sizes** in line with DIN ISO 5970 and CEN.

**Frame feature:** Step height adjustment with hexagon key locking.

**Table top** of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edge. Alternatively with extremely robust LIGNOdur safety top with smoothly rounded edges.

**Accessories and options.** Glides for hard and soft floors or universal glides (2K) and satchel hooks as well as grid bookshelf or suspension for chair types BasicGlide, LuPoGlide, PantoSwing and PantoMove.

**Please note** that depending on the type of top and glides, the table height can vary slightly. PU edges are extremely robust, but can show signs of discoloration over time.

**Following materials are available:** Frame = M1,2,7; Top LIGNOdur= L1; Top LIGNOpal-PU = L1.

		ISO/CEN			
		3 = 22 7/8	●		
		4 = 25 1/4	●		
		5 = 28	●		
		6 = 30	●		
		7 = 32 1/4	●		
					
Uno-M-Step	LIGNOdur	d = 19 5/8		22408	22405
		d = 25 1/2			22409
	LIGNOpal-PU	d = 25 1/2			22410
		w		27 5/8	29 1/2
		ISO/CEN			2-3-4-5-6-7
					51 1/8
					59



Other models illustrated on this page:  
PantoSwing-Lupo



## Duo-C Skid table.

**Frame** of powder-coated steel tube with set-back double leg (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat oval profile.

**Frame size** as per DIN ISO 5970 and CEN.

**Table top** of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or of extremely wear-resistant LIGNOdur safety top with soft rounded edges.

**Accessories and options.** Glides for hard and soft floors, briefcase (satchel) hooks, grid bookshelf and front panel.

**Important notice.** The model 2451 cannot be combined with chairs of the PantoSwing family. The table height can vary slightly depending on the type of top and the glides. PU edges are extremely robust, but can show signs of discoloration over time.

**Following materials are available:** Frame = M1,2; Top LIGNOdur= L1; Top LIGNOpal-PU = L1.

		ISO/CEN				
		2 = 20 <sup>7</sup> / <sub>8</sub>	●			
		3 = 22 <sup>7</sup> / <sub>8</sub>	●			
		4 = 25 <sup>1</sup> / <sub>4</sub>	●			
		5 = 28	●			
		6 = 30	●			
		7 = 32 <sup>1</sup> / <sub>4</sub>	●			
Duo-C	LIGNOdur	d = 19 <sup>5</sup> / <sub>8</sub>		2451	2450	
		d = 25 <sup>1</sup> / <sub>2</sub>		2452		
	LIGNOpal-PU	d = 25 <sup>1</sup> / <sub>2</sub>		2455	2453	2454
		w		27 <sup>5</sup> / <sub>8</sub>	29 <sup>1</sup> / <sub>2</sub>	51 <sup>1</sup> / <sub>8</sub>
		ISO/CEN			2:3-4-5-6-7	

## Compass Stackable table.

**Frame** of curved and welded, powder-coated or chrome-plated round steel tube with a plastic frame enclosed on 3 sides. Optionally stackable.

**Seating sizes** as per DIN EN 1729.

**Table top** of melamine-resin-coated LIGNOpal chipboard (16 mm) with seamlessly cast-on (PU) polyurethane safety edge. Top with rounded corners. Optionally with a cast-in pen groove.

**Equipment and options.** With glide elements for hard and soft floors or 2C universal glide element and with a bag hook (right side) and a protruding drinkholder (left side). With book shelf or chair suspension for Compass, PantoSwing and PantoMove chairs under the table top.

**Accessories.** Bookrest for engaging in the pen groove and universal box (with and without lid), each of translucent plastic. Both can be stowed under the table top. When the chair suspension is used, the bookrest and universal box must be stored in a cupboard.

**Warning.** PU edges are extremely hard-wearing, but may be subject to discoloration with time.

**Following materials are available:** Frame = M1,2,7; Top LIGNOpal-PU = L2.

		ISO/CEN			
		2 = 20 <sup>7</sup> / <sub>8</sub>	●		
		3 = 23 <sup>1</sup> / <sub>4</sub>	●		
		4 = 25 <sup>1</sup> / <sub>4</sub>	●		
		5 = 28	●		
		6 = 30	●		
		7 = 32 <sup>1</sup> / <sub>4</sub>	●		
Compass-T	LIGNOpal-PU	d = 21 <sup>5</sup> / <sub>8</sub>			
		w (w total)			
		h			
		ST max. size 2,3,4 / 5,6,7			
		Universalbox			
		Cupholder ø			
				22450	22451
				27 <sup>5</sup> / <sub>8</sub> (30)	27 <sup>5</sup> / <sub>8</sub> (27 <sup>5</sup> / <sub>8</sub> )
				2:3-4-5-6-7	
				8/6	
				20 <sup>1</sup> / <sub>2</sub> x 16 <sup>1</sup> / <sub>4</sub> x 2 <sup>7</sup> / <sub>8</sub>	
				2 <sup>3</sup> / <sub>4</sub>	

\*Non-stackable table



Other models illustrated on this page:  
PantoMove-Lupo



## LiteTable Stackable lightweight table.

**Frame.** the leg elements of round aluminium tube are pressed and screwed with high-strength special-alloy corner connectors to the square aluminium tube frame. The legs and frame are powder-coated. Thanks to the way in which the legs are spaced closer together and further apart in pairs, the table is stackable (ST) and can nevertheless, depending on how it is turned, be lined up against another table without gaps in between. Tables with glide elements for hard or soft floors or with 2C universal glide elements and optionally with 2 castors on legs spaced further apart.

**Table top.** Made from a LIGNOpal top (21018) with glued-on plastic edge or a laminate-coated lightweight top (21019) or with a seamlessly cast-on (PU) polyurethane safety edge. Tops with plastic edges come with either edged or rounded corners.

**Function.** The table can be stacked thanks to the extremely lightweight, hard-wearing materials used.

**Warning:** A maximum of 4 stacked (unloaded) tables may be rolled on their castors.

**Following materials are available:** Frame = M1,2; Top lightweight plastic = L1.

					
LiteTable	KU/PU	d = 21 <sup>5</sup> / <sub>8</sub>		<b>21018</b>	
School tables	KU	d = 25 <sup>1</sup> / <sub>2</sub>			<b>21019</b>
		w		27 <sup>5</sup> / <sub>8</sub>	29 <sup>1</sup> / <sub>2</sub>
		h		20 <sup>7</sup> / <sub>8</sub> 23 <sup>1</sup> / <sub>4</sub> 25 <sup>1</sup> / <sub>8</sub> 28 30 32 <sup>1</sup> / <sub>4</sub>	
		max. stacking quantity (ST)		8	
		w-d spaced required with max. stacking qty.		30 <sup>3</sup> / <sub>4</sub> 32 <sup>1</sup> / <sub>4</sub>	32 <sup>5</sup> / <sub>8</sub> 36 <sup>1</sup> / <sub>4</sub>
		Weight lbs.		18.7	19



Other models illustrated on this page:  
Compass-VF



## LiteTable Stackable lightweight table.



**Frame.** The leg elements of round aluminium tube are pressed onto and screwed to the rectangular aluminium tube top frame using high-strength corner connectors. The legs and top frame are powder-coated. Tables can be stacked thanks to the inner and outer legs arranged in pairs. However, depending on how they are turned, they can be arranged in rows without gaps. The top frame is equipped with stacking and gliding protection. Tables have glide elements for hard or soft floors or 2C universal glide elements and optionally 2 castors on the outer legs.

**Table top** of laminated lightweight board with glued-on plastic edges. Edged or rounded corners.

**Function.** Because the materials used are extremely lightweight and yet robust, the table can be stacked by a single person. Optionally, depending on the setup, table connectors (Model 21003) can be used.

**Warning:** A maximum of 4 stacked (unloaded) tables may be moved on their castors. The trapezoidal combinations shown in the table cannot be realized.

**Following materials are available:** Frame = M1,2; Top lightweight plastic = L1.

	These combinations cannot be realised.									
										
LiteTable	d = 27 <sup>5</sup> / <sub>8</sub>	<b>21003</b>	<b>21011</b>	<b>21012</b>	<b>21016</b>	<b>21014</b>	<b>21017</b>	<b>21015</b>	<b>21020</b>	<b>21021</b>
	d = 31 <sup>1</sup> / <sub>2</sub>									
	w		27 <sup>5</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>2</sub>	55 <sup>1</sup> / <sub>8</sub>	47 <sup>1</sup> / <sub>4</sub>	55 <sup>1</sup> / <sub>8</sub> (27 <sup>5</sup> / <sub>8</sub> )	63(31 <sup>1</sup> / <sub>2</sub> )	55 <sup>1</sup> / <sub>8</sub>	63
	h		20 <sup>7</sup> / <sub>8</sub> 23 <sup>1</sup> / <sub>4</sub> 25 <sup>1</sup> / <sub>8</sub> 28 28 <sup>3</sup> / <sub>8</sub> 30 32 <sup>1</sup> / <sub>2</sub>							
	max. stacking quantity (ST)		8					5		
	Weight lbs.		18.7	22	27.5	27.5	22	26.4	25.3	29.7

Other models illustrated on this page:  
Compass-VF, Compass-LuPo



## TriTable Triangular table.

**Frame** comprising welded round steel-tube legs with set-back square-tube frame, each powder-coated. Tables with glide elements for hard or soft floors or with 2C universal glide elements.

**Table heights** in accordance with DIN ISO 5970 and CEN.

**Table top** (isosceles triangle) made from melamine-resin-coated LIGNOpal chipboard with glued-on plastic edge and rounded (radius 22 mm) corners.

**Function:** Varied combination possibilities for row and group workstations. The table is stackable and is fitted with a stack protection feature on the lower edge of the frame.

**Equipment:** Optionally with a castor at the 90° corner.

**The following materials are available to choose from:** Frame = M1,2,7; top LIGNOpal plastic = L1.

	ISO/CEN			
	2 = 20 <sup>7</sup> / <sub>8</sub>	●		
	3 = 23 <sup>1</sup> / <sub>4</sub>	●		
	4 = 25 <sup>1</sup> / <sub>4</sub>	●		
	5 = 28	●		
	6 = 30	●		
	7 = 32 <sup>1</sup> / <sub>4</sub>	●		
TriTable				
			<b>01430</b>	<b>01431</b>
	w-d		44 <sup>1</sup> / <sub>2</sub> /31 <sup>1</sup> / <sub>2</sub> -31 <sup>1</sup> / <sub>2</sub>	47 <sup>1</sup> / <sub>4</sub> /33 <sup>1</sup> / <sub>2</sub> -33 <sup>1</sup> / <sub>2</sub>
	h			50/35 <sup>1</sup> / <sub>2</sub> -35 <sup>1</sup> / <sub>2</sub>
				2-3-4-5-6-7



## Network Single table.

**Frame.** Four-sided top frame of half-oval tubular steel with screwed-on round tubular steel legs, either powder-coated or chrome-plated. With functional gap between table top and frame to accept accessories and adapters. The system consists of basic and add-on tables as well as hanging leaves. The tables are fitted with floor-levelling screws or castors.

**Table heights** are either fixed, adjustable in steps or continuously adjustable.

**Table top** of LIGNOpal chipboard laminated with either melamine-resin, veneer or linoleum and with glued-on (KU) plastic or (BU) beech edges, alternatively with solid beech profile. Choice of square or rounded corners.

**Features (optional):** Rectangular tables with 2 or 4 castors.

**Following materials are available:** Frame = M1,2,7; Top LIGNOpal plastic/beech = L1,4,6,10,F1.

## Quattro Group table.



**Frame** of powder-coated oval tubular-steel legs with four-sided rectangular tubular-steel top frame.

**Frame size** available in three different heights.

**Table top** of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or with glued-on (KU) plastic edges.

**Features and options.** Glides for hard and soft floors. Satchel hook, grid bookshelf.

**Important notice.** PU edges are extremely robust, but can show signs of discoloration over time.

**Following materials are available:** Frame = M1,2; Top LIGNOpal-PU = L1; Top LIGNOpal plastic/beech = L1 (KU).

			PantoSwing chairs - sizes 6 and 7 - cannot be fitted at the marked positions (d=65).								
Quattro	LIGNOpal-PU	d = 25 <sup>7</sup> / <sub>8</sub>		<b>2830</b>		<b>2831</b>	<b>2832</b>			<b>2833</b>	
	LIGNOpal-KU	d = 31 <sup>1</sup> / <sub>2</sub>		<b>2840</b>	<b>2841</b>	<b>2842</b>	<b>2843</b>	<b>2844</b>		<b>2845</b>	
		w		29 <sup>1</sup> / <sub>2</sub>	31 <sup>1</sup> / <sub>2</sub>	47 <sup>1</sup> / <sub>4</sub>	51 <sup>1</sup> / <sub>8</sub>	55 <sup>5</sup> / <sub>8</sub>	59	63	70 <sup>7</sup> / <sub>8</sub>
		h									51 <sup>1</sup> / <sub>8</sub> /25 <sup>5</sup> / <sub>8</sub>
											63/31 <sup>1</sup> / <sub>2</sub>
											28 <sup>3</sup> / <sub>8</sub> -29 <sup>1</sup> / <sub>8</sub> -30


Network	d = 27 <sup>7</sup> / <sub>8</sub>	<b>21200</b>	<b>21421</b>	<b>21422</b>	<b>21413</b>	<b>21424</b>	<b>21201</b>	<b>21425</b>	<b>21426</b>	<b>21427</b>	<b>21428</b>	<b>21202</b>
School tables	d = 31 <sup>1</sup> / <sub>2</sub>		<b>21210</b>			<b>21211</b>	<b>21212</b>	<b>21213</b>	<b>21214</b>	<b>21215</b>	<b>21216</b>	<b>21217</b>
	d = 35 <sup>1</sup> / <sub>2</sub>			<b>21240</b>		<b>21241</b>	<b>21242</b>	<b>21243</b>	<b>21244</b>	<b>21245</b>	<b>21246</b>	
	d = 39 <sup>1</sup> / <sub>8</sub>				<b>21270</b>	<b>21271</b>	<b>21272</b>	<b>21273</b>	<b>21274</b>	<b>21275</b>	<b>21276</b>	
	w	27 <sup>7</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>2</sub>	35 <sup>1</sup> / <sub>2</sub>	39 <sup>1</sup> / <sub>8</sub>	47 <sup>1</sup> / <sub>4</sub>	55 <sup>1</sup> / <sub>8</sub>	63	70 <sup>7</sup> / <sub>8</sub>	78 <sup>1</sup> / <sub>4</sub>	86 <sup>1</sup> / <sub>8</sub>	55 <sup>5</sup> / <sub>8</sub> (27 <sup>7</sup> / <sub>8</sub> )
	h											63(31 <sup>1</sup> / <sub>2</sub> )
												55 <sup>5</sup> / <sub>8</sub> (27 <sup>7</sup> / <sub>8</sub> )
												63(31 <sup>1</sup> / <sub>2</sub> )
												20 <sup>1</sup> / <sub>2</sub> -22 <sup>1</sup> / <sub>8</sub> -25 <sup>1</sup> / <sub>4</sub> -27 <sup>1</sup> / <sub>8</sub> -30

## EuroLine Single table.

**Frame** consists of four-sided rectangular tubular-steel top frame with welded-on round tubular-steel legs, powder-coated. Single table with floor-levelling screws.

**Table top** of melamine-resin coated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges and square corners.

**Following materials are available:** Frame = M1,2; Top LIGNOpal plastic/beech = L1,4,6.

										
EuroLine	d = 27 <sup>1</sup> / <sub>8</sub>	1001	1010	1011	1012	1002	1013	1014	1003	
	d = 31 <sup>1</sup> / <sub>2</sub>		1004		1005	1006	1007	1008		1009
	w	27 <sup>1</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>2</sub>	39 <sup>3</sup> / <sub>8</sub>	47 <sup>1</sup> / <sub>4</sub>	55 <sup>1</sup> / <sub>8</sub>	63	70 <sup>1</sup> / <sub>8</sub>	55 <sup>1</sup> / <sub>8</sub> (27 <sup>1</sup> / <sub>8</sub> )	63(31 <sup>1</sup> / <sub>2</sub> )
	h	25 <sup>1</sup> / <sub>4</sub> -27 <sup>1</sup> / <sub>8</sub> -28 <sup>1</sup> / <sub>8</sub> -30								28 <sup>1</sup> / <sub>8</sub>

Other models illustrated on this page:  
PantoFour-VF

Other models illustrated on this page:  
PantoFour-VF



## RondoLift-KF Height-adjustable sit-at and stand-at table.

**Frame** comprising a round central leg/post and a four- or five-foot star-shaped base made from rectangular section, all powdercoated. Leg/post with integrated gas-filled strut and hand switch on the table-top edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. Star-shaped base with lockable castors or with glide elements.

**Table height** infinitely variable.

**Table top** of melamine-resin laminated or veneered LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges.

**Features.** Oval table can be supplied with an optional lockable drawer under the top.

**Table top shapes** are oval, circular and square.

**Following materials are available:** Frame = M1,2; Top LIGNOpal plastic/beech = L1,4,6,10,11,F1.

										
RondoLift-KF		2823				2828	2820			
	Folding table top		2824	2825	2826	2827		2821	2822	
	ø / w-d	31 <sup>1</sup> / <sub>2</sub>	35 <sup>1</sup> / <sub>2</sub>	39 <sup>3</sup> / <sub>8</sub>	43 <sup>3</sup> / <sub>8</sub>	47 <sup>1</sup> / <sub>4</sub>	51 <sup>1</sup> / <sub>8</sub> -31 <sup>1</sup> / <sub>2</sub>	31 <sup>1</sup> / <sub>2</sub> -31 <sup>1</sup> / <sub>2</sub>	35 <sup>1</sup> / <sub>2</sub> -35 <sup>1</sup> / <sub>2</sub>	39 <sup>3</sup> / <sub>8</sub> -39 <sup>3</sup> / <sub>8</sub>
	h	27 <sup>1</sup> / <sub>8</sub> -44 <sup>1</sup> / <sub>2</sub>								
Star foot ø / w-d	29 <sup>1</sup> / <sub>2</sub>		37 <sup>3</sup> / <sub>8</sub>			24-16 <sup>1</sup> / <sub>8</sub>		37 <sup>1</sup> / <sub>2</sub>		



Other models illustrated on this page:  
PantoFour-VF

## RondoLift-KF Height-adjustable sit-down and stand-at table for teachers.

**Frame** comprising a round central leg/post and a four- or five-foot star-shaped base made from rectangular section, all powdercoated. Leg/post with integrated gas-filled strut and hand switch on the table-top edge. The hand switch is fitted with a safety cover to protect against unintentional deployment of the gas-filled strut. Star-shaped base with lockable castors or with glide elements.

**Table height** infinitely variable.

**Table top** (barrel shape) made from melamine-resin- or veneer-coated LIGNOpal chipboard with glued-on plastic or wooden edge.

**Equipment:** Table optionally with one or two drawers located at the sides under the table top.

**Electrification** optionally with a freely hanging cable conduit or a self-coiling cable chain.

**The following materials are available to choose from:** Frame = M1,2; top LIGNOpal plastic/beechn = L1,4,6,10,11,F1.

			
<b>RondoLift-KF Teach</b>			<b>02829</b>
w-d			47 <sup>1</sup> / <sub>8</sub> -33
h			27 <sup>1</sup> / <sub>8</sub> -44 <sup>1</sup> / <sub>2</sub>
Star foot w-d			37 <sup>1</sup> / <sub>2</sub> -23 <sup>1</sup> / <sub>4</sub>
Drawer b-h-t			18 <sup>1</sup> / <sub>2</sub> -3 <sup>1</sup> / <sub>8</sub> -17 <sup>1</sup> / <sub>4</sub>



Other models illustrated on this page:  
Compass-LuPo

## FlipTable-RU Table with folding top.

**Construction** comprising a centrally positioned tubular-steel crosspiece with an articulated bracket. Folding action can be effected with a two-hand safety actuator under the table top. With a fitting for securing the table top in the horizontal and vertical positions and optionally with a table connector.

**Table top** of LIGNOpal-coated (melamine resin) chipboard with plastic, wood or PU edge. The corners are edged or rounded.

**Electrification.** Optionally by means of a fold-down textile trough on both sides.



**Cable outlet.** Optionally with an electronics box for system and data connections.

**Frame** consisting of two bent powder-coated or chrome-plated steel tubes. Frame with lockable castors.

**Function.** When the table top is folded up, any desired number of tables can be pushed together to optimize space.

**Note.** PU edges are extremely hard-wearing, but may show signs of discoloration over time.

**Following materials are available:** Frame = M1,2,7; Top LIGNOpal-PU = L2.

									
<b>FlipTable-RU</b>	Beech/plastic edge	d = 27 <sup>5</sup> / <sub>8</sub>	<b>21030</b>	<b>21031</b>	<b>21032</b>	<b>21033</b>	<b>21034</b>		
		h (h folded)	28 <sup>3</sup> / <sub>8</sub> (42 <sup>1</sup> / <sub>2</sub> )		28 <sup>3</sup> / <sub>8</sub> (42 <sup>1</sup> / <sub>2</sub> )				
		d = 31 <sup>1</sup> / <sub>2</sub>	<b>21035</b>	<b>21036</b>	<b>21037</b>	<b>21038</b>	<b>21039</b>		
		h (h folded)	28 <sup>3</sup> / <sub>8</sub> (44 <sup>1</sup> / <sub>2</sub> )		28 <sup>3</sup> / <sub>8</sub> (44 <sup>1</sup> / <sub>2</sub> )				
		w	51 <sup>1</sup> / <sub>8</sub>	55 <sup>1</sup> / <sub>8</sub>	59	63	70 <sup>7</sup> / <sub>8</sub>	78 <sup>3</sup> / <sub>4</sub>	86 <sup>5</sup> / <sub>8</sub>
		Increase per table in width when nested				1 <sup>1</sup> / <sub>2</sub>			
		Increase per table in depth when nested				6			

Other models illustrated on this page:  
PantoMove-LuPo



## Duo-Media Computer table.

**Frame** of powder-coated steel tube with set-back double-legs (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat-oval profile. Table suitable for floor fixing if required.

**Frame sizes.** In table height of 72 cm.

**Table top** of melamine-resin coated LIGNOpal chipboard with glued-on (KU) plastic edges.

**Features.** Table top with lockable sliding mechanism (12 cm) for access to the cable channel. Cable outlet through sealing lip over the full table width between top and side panel.

**Accessories and options.** Perforated-metal vertical cable channel attached without tools between the double legs. Inside solid metal, outside powder-coated perforated metal. Vertical channel can only be opened when the horizontal cable channel is also open. Vertical cable guide consists of 3 plastic cable clips to push-onto the table legs. CPU-angle and CPU-box for fixing to table legs.

**Following materials are available:** Frame = M1,2; Top LIGNOpal plastic/beech = L2 (KU).

<b>Duo-Media</b>	d=31 1/2, Total d=33 1/2	<b>4450</b>	<b>4451</b>	<b>4452</b>	<b>4453</b>						
	d=35 3/8, Total d=37 3/8	<b>4455</b>	<b>4456</b>	<b>4457</b>	<b>4458</b>						
						<b>4447</b>	<b>4448</b>	<b>4449</b>	<b>4460</b>	<b>4461</b>	<b>62-986-99</b>
	w	31 1/2	47 1/4	55 1/8	63						
	h			28 3/8							
						CPU-angle	CPU-box	Vertical channel	Cable guide	Cable clip	

<b>M</b>	Metal				
		<b>M1 036 deep red</b>	<b>M1 037 deep green</b>	<b>M1 038 deep blue</b>	<b>M1 039 deep black</b>
		<b>M2 059 arctic</b>	<b>M2 063 anthracite</b>	<b>M2 078 grey white RAL 9002</b>	<b>M2 091 white RAL 9016</b>
		<b>M7 060 chrome-plated</b>			
<b>C</b>	Plastics				
		<b>C1 073 black grey RAL 7021</b>	<b>C1 078 dolphin grey</b>		
		<b>C2 026 yellow orange</b>	<b>C2 027 dark red</b>	<b>C2 028 dark green</b>	<b>C2 029 dark blue</b>
<b>F</b>	Veneers				
		<b>F1 010 natural beech</b>	<b>F1 011 maple (Canadian)</b>	<b>F1 012 natural cherry (American)</b>	<b>F1 013 natural birch</b>
		<b>F1 014 natural ash</b>	<b>F1 015 natural oak (European)</b>	<b>F1 016 pear natural wood</b>	<b>F1 017 zebrano</b>
		<b>F1 018 wengé</b>	<b>F1 019 walnut</b>		
<b>L</b>	Laminate				
		<b>L1 027 natural beech laminate</b>	<b>L1 028 natural maple laminate</b>	<b>L1 031 grey white</b>	<b>L1 035 andes grey</b>
		<b>L2 027 natural beech laminate</b>		<b>L2 031 grey white</b>	
		<b>L4 017 astral silver</b>	<b>L4 018 anthracite</b>	<b>L4 019 plain black</b>	<b>L4 328 white</b>
	<b>L6 029 natural walnut laminate</b>				
<b>L10</b>	Lino leum				
		<b>L10 051 red</b>	<b>L10 054 ivory</b>	<b>L10 057 dark grey</b>	<b>L10 058 black</b>
		<b>L10 059 blue</b>			

# H

Wood stain



H1 010 natural



H2 026 yellow orange stained



H2 027 dark red stained



H2 028 dark green stained



H2 029 dark blue stained



H2 021 light green stained



H2 022 light blue stained



H2 023 light grey stained



H2 024 brown stained



H2 011 black stained

# S

Fabrics



S41 972 - 3768 red



S41 973 - 3737 bordeaux



S41 974 - 2412 sand



S41 975 - 7448 grey-green



S41 976 - 6707 muted green



S41 977 - 5729 dark blue



S41 978 - 7446 brown-grey



**VS America, Inc.:**

**1940 Abbott Street  
Charlotte, NC 28203**

**Phone: 704-378-6500**

**Fax: 704-378-6005**

**[info@vs-charlotte.com](mailto:info@vs-charlotte.com)**

**[www.vs-network.com](http://www.vs-network.com)**